
BARILED 6,5W WW








Light source BARI LED 6,5W WW

SPECIFICATIONS	EDO777662
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	♣ F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	6.5W
Standby power Psb/Pnet [W]:	=
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	warm white
Color temperature [K]:	3000K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [Im]:	600lm
Luminous efficiency [lm/w]:	92lm/W
Light distribution angle [°]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kWh/1000h]:	7kWh/1000h
Declaration of power equivalency [w]:	40W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 904252 617366






BARILED 6,5W NW








Light source BARI LED 6,5W NW

SPECIFICATIONS	ED0777663
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	↑ F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	6.5W
Standby power Psb/Pnet [W]:	-
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	neutral white
Color temperature [ĸ]:	4000K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [lm]:	600lm
Luminous efficiency [Im/w]:	92lm/W
Light distribution angle [°]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kWh/1000h]:	7kWh/1000h
Declaration of power equivalency [w]:	40W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 904252 617373






BARILED 6,5W CW








Light source BARI LED 6,5W CW

SPECIFICATIONS	EDO777664
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	A F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	6.5W
Standby power Psb/Pnet [W]:	-
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	cold white
Color temperature [κ]:	6500K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [Im]:	600lm
Luminous efficiency [Im/W]:	92lm/W
Light distribution angle [°]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kWh/1000h]:	7kWh/1000h
Declaration of power equivalency [w]:	40W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 1904252 617380






BARILED 8,5W WW








Light source BARI LED 8,5W WW

SPECIFICATIONS	ED0777665
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	A F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	8.5W
Standby power Psb/Pnet [W]:	-
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	warm white
Color temperature [ĸ]:	3000K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [lm]:	806 lm
Luminous efficiency [lm/w]:	95 lm/W
Light distribution angle [º]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kwh/1000h]:	9kWh/1000h
Declaration of power equivalency [w]:	60W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 904252 617397






BARILED 8,5W NW








Light source BARI LED 8,5W NW

SPECIFICATIONS	ED0777666
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	↑ F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	8.5W
Standby power Psb/Pnet [W]:	=
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	neutral white
Color temperature [к]:	4000K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [lm]:	806 lm
Luminous efficiency [Im/W]:	94lm/W
Light distribution angle [°]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kWh/1000h]:	9kWh/1000h
Declaration of power equivalency [w]:	60W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 904252 617403






BARILED 8,5W CW







Light source BARI LED 8,5W CW

SPECIFICATIONS	ED0777667
Source Type:	LED
Cap type:	E14
Dimensions [mm]:	
-diameter:	ø36.5mm
-height:	100mm
Lampshade:	mat
Bubble shape:	candle
Energy efficiency class [A-G]:	F
Cooperation with a dimmer:	no
TECHNICAL DATA	
Power in the on-mode Pon [W]:	8.5W
Standby power Psb/Pnet [W]:	-
Rated voltage [v]:	220-240V
Rated frequency [Hz]:	50 Hz
Color of the light:	cold white
Color temperature [к]:	6500K
Light color change:	no
Color rendering index CRI:	80
Useful luminous flux [Im]:	806 lm
Luminous efficiency [lm/w]:	95lm/W
Light distribution angle [°]:	180°
Rated life [h]:	20000h
Number of cycles on/off:	15000
On-mode energy consumption [kWh/1000h]:	9kWh/1000h
Declaration of power equivalency [w]:	60W
Mercury content:	no
Environmental conditions:	-2040°C
LOGISTIC DATA	
Collective packaging [pc.]:	100 pcs.
Weight [g]:	27g
EAN:	5 9042521617410

